ELSEVIER

Available online at www.sciencedirect.com

SCIENCE DIRECT®

Journal of Organometallic Chemistry 668 (2003) 145

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 668

Ageeva, Y.V., 83
Allardyce, C.S., 35
Amatore, C., 9
Anson, C.E., 101

Birringer, M., 67

Carmona, D., 123
Casado, M.A., 3
Creaser, C.S., 101
Csöregi, E., 75

D'Agati, P., 129
Domagala, A., 95
Dumas, C., 67
Dyson, P.J., 35

Egmond, M.R., 3
Eisenstein, M., 123
Elduque, A., 123
Ellis, D.J., 35

Fiedler, J., 9, 51
Fischer-Durand, N., 59
Fish, R.H., 1, 123

Gobetto, R., 51
Guillena, G., 3
Gureviciene, V., 83

Heldt, J.-M., 59
Hénique, J., 140
Hirao, T., 31
Hromadová, M., 9, 17

Jankovics, H., 129
Jaouen, G., 1, 17, 59, 140
Joerger, J.-M., 140

Kele, Z., 129
Koivukorpi, J., 43
Kolehmainen, E., 43
Kowalski, K., 91
Kruithof, C.A., 3

Laurinavicius, V., 83
Le Bideau, F., 59, 140

Makowska, M., 95
Malkov, A.V., 101
Mansueto, C., 129
Mänttäri, P., 43
Martin, B., 51
Milone, L., 51
Mojovic, L., 101
Morel, P., 25
Moriuchi, T., 31

Nagy, L., 129
Netter, M., 67

Oro, L.A., 123

Pellerito, L., 129
Pellerito, C., 129
Pettinari, C., 129
Pigeon, P., 140
Pospíšil, L., 9, 17

Razumiene, J., 83
Reshetova, M.D., 83
Rosenberg, E., 51
Roznyatovskaya, N.V., 83
Rudolf, B., 95
Ryabov, A.D., 75, 83
Rybarczyk-Pirek, A., 95

Salmain, M., 17
Salter, P.A., 35
Scapozza, L., 67
Schaffer, P., 25
Schelling, P., 67
Schibli, R., 67
Schoch, J., 67
Schubiger, P.A., 67
Scopelliti, R., 35
Sokolová, R., 17
Soukharev, V.S., 75
Spada, F., 51
Stephenson, G.R., 101
Sugden, K., 51

Tamminen, J., 43
Top, S., 140

Valliant, J.F., 25
van Koten, G., 3
Verpeaux, J.-N., 9
Vessières, A., 59
Viale, A., 51
Vilkanauskyte, A., 83
Virtanen, E., 43

Yoshida, K., 31

Zakrzewski, J., 91, 95

Elsevier Science B.V.
PII: S0022-328X(03)00068-8

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Organometallic Chemistry 668 (2003) 147–149
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Subject Index of Volume 668

AC voltammetry
Novel redox label for proteins. Electron transfer properties of (η^5-cyclopentadienyl) tricarbonyl manganese bound to bovine serum albumin, 17
Ag(I) complexation
^{1}H-, ^{13}C-, and ^{15}N-NMR and ESI-TOF$^+$ MS studies of a supramolecular complex of silver(I) and a cholaphane, 43
Alcohol dehydrogenase
New bioorganometallic ferrocene derivatives as efficient mediators for glucose and ethanol biosensors based on PQQ-dependent dehydrogenases, 83
α-Amino acid
The Suzuki cross-coupling reaction: a powerful tool for the attachment of organometallic 'NCN'-pincer units to biological scaffolds, 3
Antibacterial
Synthesis and characterisation of some water soluble ruthenium(II)–arene complexes and an investigation of their antibiotic and antiviral properties, 35
Anticancer
Synthesis and characterisation of some water soluble ruthenium(II)–arene complexes and an investigation of their antibiotic and antiviral properties, 35
Antimicrobial
Synthesis and characterisation of some water soluble ruthenium(II)–arene complexes and an investigation of their antibiotic and antiviral properties, 35
Antiviral
Synthesis and characterisation of some water soluble ruthenium(II)–arene complexes and an investigation of their antibiotic and antiviral properties, 35
Atrazine
Evaluation of the carbonyl metallo immunoassay (CMIA) for the determination of traces of the herbicide atrazine, 59

Beta-cyclodextrin
Redox activation of dicarbonyl(η^5-cyclopentadienyl)methyl iron within the cavity of β-cyclodextrin: carbon monoxide insertion in iron–methyl bond, 9
Biocytin
Metallo-carbonyl conjugates of biotin and biocytin, 95
Bioorganometallic
Synthesis and characterisation of some water soluble ruthenium(II)–arene complexes and an investigation of their antibiotic and antiviral properties, 35
Bioorganometallic chemistry
A short route to cyclopentadienyltricarbonylrhenium substituted derivatives, 140
Hydrogen-bonding-directed molecular assembly of ferrocene bearing dipeptide chains (-L-Ala-L-Pro-NHPyMe) as an organometallic crystal architecture, 31
Bioprobes
Flavonoid derivatives as organometallic bioprobes, 101
Biosensor
New bioorganometallic ferrocene derivatives as efficient mediators for glucose and ethanol biosensors based on PQQ-dependent dehydrogenases, 83
Biotin
Metallo-carbonyl conjugates of biotin and biocytin, 95
BNCS
The synthesis and X-ray crystallographic structure determination of 3-isocyano-1,2-dicarba-*closo*-dodecaborane-Re(I) complexes, 25
BNCT
The synthesis and X-ray crystallographic structure determination of 3-isocyano-1,2-dicarba-*closo*-dodecaborane-Re(I) complexes, 25

Carbonyl
(η^5-C_5H_5)Fe(CO)$_2$-complexes of uridine and thymidine, 91
Carboranes
The synthesis and X-ray crystallographic structure determination of 3-isocyano-1,2-dicarba-*closo*-dodecaborane-Re(I) complexes, 25
Chirality organized structure
Hydrogen-bonding-directed molecular assembly of ferrocene bearing dipeptide chains (-L-Ala-L-Pro-NHPyMe) as an organometallic crystal architecture, 31
Cholaphane
^{1}H-, ^{13}C-, and ^{15}N-NMR and ESI-TOF$^+$ MS studies of a supramolecular complex of silver(I) and a cholaphane, 43
Cluster
Synthesis and characterisation of some water soluble ruthenium(II)–arene complexes and an investigation of their antibiotic and antiviral properties, 35
Cocrystal
Hydrogen-bonding-directed molecular assembly of ferrocene bearing dipeptide chains (-L-Ala-L-Pro-NHPyMe) as an organometallic crystal architecture, 31
CO insertion
Redox activation of dicarbonyl(η^5-cyclopentadienyl)methyl iron within the cavity of β-cyclodextrin: carbon monoxide insertion in iron–methyl bond, 9
Cyclometalation
Synthesis, properties, and biosensor applications of cycloruthenated 2-phenylimidazoles, 75
Cyclopentadienyl
(η^5-C_5H_5)Fe(CO)$_2$-complexes of uridine and thymidine, 91
Cyclopentadienyl iron carbonyl
Metallo-carbonyl conjugates of biotin and biocytin, 95
Cyclopentadienyl ligands
A short route to cyclopentadienyltricarbonylrhenium substituted derivatives, 140
Cymantrene
Novel redox label for proteins. Electron transfer properties of (η^5-cyclopentadienyl) tricarbonyl manganese bound to bovine serum albumin, 17
Cymantrenyl methyl imidate
Novel redox label for proteins. Electron transfer properties of (η^5-

Elsevier Science B.V.
PII: S0022-328X(03)00066-4

cyclopentadienyl) tricarbonyl manganese bound to bovine serum albumin, 17
Cytotoxicity
Coordination properties of the ACE inhibitor captopril towards $Me_2Sn(IV)^{2+}$ in aqueous solution, and biological aspects of some dialkyltin(IV) derivatives of this ligand, 129

Dicarbonyl(η5-cyclopentadienyl)methyl iron
Redox activation of dicarbonyl(η^5-cyclopentadienyl)methyl iron within the cavity of β-cyclodextrin: carbon monoxide insertion in iron–methyl bond, 9
Dipeptide
Hydrogen-bonding-directed molecular assembly of ferrocene bearing dipeptide chains (-L-Ala-L-Pro-NHPyMe) as an organometallic crystal architecture, 31
DNA
Synthesis, characterization and DNA binding affinities of water-soluble benzoheterocycle triosmium clusters, 51

Electrochemistry
Synthesis, properties, and biosensor applications of cycloruthenated 2-phenylimidazoles, 75
Electron transfer
New bioorganometallic ferrocene derivatives as efficient mediators for glucose and ethanol biosensors based on PQQ-dependent dehydrogenases, 83
Synthesis, properties, and biosensor applications of cycloruthenated 2-phenylimidazoles, 75
ESI-TOF$^+$ MS
^{1}H-, ^{13}C-, and ^{15}N-NMR and ESI-TOF$^+$ MS studies of a supramolecular complex of silver(I) and a cholaphane, 43

Ferrocene
Hydrogen-bonding-directed molecular assembly of ferrocene bearing dipeptide chains (-L-Ala-L-Pro-NHPyMe) as an organometallic crystal architecture, 31
New bioorganometallic ferrocene derivatives as efficient mediators for glucose and ethanol biosensors based on PQQ-dependent dehydrogenases, 83
Flavonoids
Flavonoid derivatives as organometallic bioprobes, 101
Fourier-transform infrared spectroscopy (FT-IR)
Evaluation of the carbonyl metallo immunoassay (CMIA) for the determination of traces of the herbicide atrazine, 59
Fulvene
A short route to cyclopentadienyltricarbonylrhenium substituted derivatives, 140

Gene induction
Flavonoid derivatives as organometallic bioprobes, 101
Glucose dehydrogenase
New bioorganometallic ferrocene derivatives as efficient mediators for glucose and ethanol biosensors based on PQQ-dependent dehydrogenases, 83
Glucose oxidase
Synthesis, properties, and biosensor applications of cycloruthenated 2-phenylimidazoles, 75

Horseradish peroxidase
Synthesis, properties, and biosensor applications of cycloruthenated 2-phenylimidazoles, 75
Host–guest complex
Redox activation of dicarbonyl(η^5-cyclopentadienyl)methyl iron within the cavity of β-cyclodextrin: carbon monoxide insertion in iron–methyl bond, 9
Host–guest non-covalent interactions
Bioorganometallic chemistry: Part 15. A novel molecular recognition process of host, *trans*-[Cp*Rh(η^1(N3)-1-methylcytosine)(μ-OH)]$_2$(OTf)$_2$, with L-aromatic amino acid guests: selective hydrogen bonding to the μ-OH groups and the 1-methylcytosine ligands, 123
Human thymidine kinase
First organometallic inhibitors for human thymidine kinase: synthesis and in vitro evaluation of rhenium(I)- and technetium(I)-tricarbonyl complexes of thymidine, 67
Hydrogen bond
Hydrogen-bonding-directed molecular assembly of ferrocene bearing dipeptide chains (-L-Ala-L-Pro-NHPyMe) as an organometallic crystal architecture, 31
Hydrogen-bonded network
Hydrogen-bonding-directed molecular assembly of ferrocene bearing dipeptide chains (-L-Ala-L-Pro-NHPyMe) as an organometallic crystal architecture, 31

Immunoassay
Evaluation of the carbonyl metallo immunoassay (CMIA) for the determination of traces of the herbicide atrazine, 59
Iron
(η^5-C_5H_5)Fe(CO)$_2$-complexes of uridine and thymidine, 91
IR spectroscopy
Novel redox label for proteins. Electron transfer properties of (η^5-cyclopentadienyl) tricarbonyl manganese bound to bovine serum albumin, 17
Isonitriles
The synthesis and X-ray crystallographic structure determination of 3-isocyano-1,2-dicarba-*closo*-dodecaborane-Re(I) complexes, 25
Isothiocyanate
Metallo-carbonyl conjugates of biotin and biocytin, 95

Kinetics
Synthesis, properties, and biosensor applications of cycloruthenated 2-phenylimidazoles, 75

Labelling
Metallo-carbonyl conjugates of biotin and biocytin, 95

Mass spectrometry
Coordination properties of the ACE inhibitor captopril towards $Me_2Sn(IV)^{2+}$ in aqueous solution, and biological aspects of some dialkyltin(IV) derivatives of this ligand, 129
Mediators
Synthesis, properties, and biosensor applications of cycloruthenated 2-phenylimidazoles, 75
Metal carbonyl complex
Evaluation of the carbonyl metallo immunoassay (CMIA) for the determination of traces of the herbicide atrazine, 59
Metal clusters
Synthesis, characterization and DNA binding affinities of water-soluble benzoheterocycle triosmium clusters, 51
Molecular recognition
Bioorganometallic chemistry: Part 15. A novel molecular recognition process of host, *trans*-[Cp*Rh(η^1(N3)-1-methylcytosine)(μ-OH)]$_2$(OTf)$_2$, with L-aromatic amino acid guests: selective hydrogen bonding to the μ-OH groups and the 1-methylcytosine ligands, 123
Mössbauer
Coordination properties of the ACE inhibitor captopril towards $Me_2Sn(IV)^{2+}$ in aqueous solution, and biological aspects of some dialkyltin(IV) derivatives of this ligand, 129
Multinuclear magnetic resonance
^{1}H-, ^{13}C-, and ^{15}N-NMR and ESI-TOF$^+$ MS studies of a supramolecular complex of silver(I) and a cholaphane, 43

NMR studies
Coordination properties of the ACE inhibitor captopril towards $Me_2Sn(IV)^{2+}$ in aqueous solution, and biological aspects of some dialkyltin(IV) derivatives of this ligand, 129
Nucleotide
$(\eta^5\text{-}C_5H_5)Fe(CO)_2$-complexes of uridine and thymidine, 91

Organometalcarbonyl groups
Flavonoid derivatives as organometallic bioprobes, 101
Organotin compounds
Coordination properties of the ACE inhibitor captopril towards $Me_2Sn(IV)^{2+}$ in aqueous solution, and biological aspects of some dialkyltin(IV) derivatives of this ligand, 129
Osmium
Synthesis, characterization and DNA binding affinities of water-soluble benzoheterocycle triosmium clusters, 51

Palladium
The Suzuki cross-coupling reaction: a powerful tool for the attachment of organometallic 'NCN'-pincer units to biological scaffolds, 3
pH-metric titration
Coordination properties of the ACE inhibitor captopril towards $Me_2Sn(IV)^{2+}$ in aqueous solution, and biological aspects of some dialkyltin(IV) derivatives of this ligand, 129
Phosphonate
The Suzuki cross-coupling reaction: a powerful tool for the attachment of organometallic 'NCN'-pincer units to biological scaffolds, 3
Piperazine
^{1}H-, ^{13}C-, and ^{15}N-NMR and ESI-TOF$^+$ MS studies of a supramolecular complex of silver(I) and a cholaphane, 43
Platinum
The Suzuki cross-coupling reaction: a powerful tool for the attachment of organometallic 'NCN'-pincer units to biological scaffolds, 3
Protein detection
Novel redox label for proteins. Electron transfer properties of (η^5-cyclopentadienyl) tricarbonyl manganese bound to bovine serum albumin, 17
Pyrroloquinoline quinone
New bioorganometallic ferrocene derivatives as efficient mediators for glucose and ethanol biosensors based on PQQ-dependent dehydrogenases, 83

Redox activation
Redox activation of dicarbonyl(η^5-cyclopentadienyl)methyl iron within the cavity of β-cyclodextrin: carbon monoxide insertion in iron–methyl bond, 9
Redox label
Novel redox label for proteins. Electron transfer properties of (η^5-cyclopentadienyl) tricarbonyl manganese bound to bovine serum albumin, 17
Reduction
Novel redox label for proteins. Electron transfer properties of (η^5-cyclopentadienyl) tricarbonyl manganese bound to bovine serum albumin, 17
Rhenium
A short route to cyclopentadienyltricarbonylrhenium substituted derivatives, 140
The synthesis and X-ray crystallographic structure determination of 3-isocyano-1,2-dicarba-*closo*-dodecaborane-Re(I) complexes, 25
Rhenium(I)
First organometallic inhibitors for human thymidine kinase: synthesis and in vitro evaluation of rhenium(I)- and technetium(I)-tricarbonyl complexes of thymidine, 67
Rhizobium
Flavonoid derivatives as organometallic bioprobes, 101
Root nodulation
Flavonoid derivatives as organometallic bioprobes, 101
Ruthenium–arene complexes
Synthesis and characterisation of some water soluble ruthenium(II)–arene complexes and an investigation of their antibiotic and antiviral properties, 35
Ruthenium complexes
Synthesis, properties, and biosensor applications of cycloruthenated 2-phenylimidazoles, 75

Screen-printed carbon electrode
New bioorganometallic ferrocene derivatives as efficient mediators for glucose and ethanol biosensors based on PQQ-dependent dehydrogenases, 83
Selective hydrogen bonding
Bioorganometallic chemistry: Part 15. A novel molecular recognition process of host, *trans*-[Cp*Rh(η^1(N3)-1-methylcytosine)(μ-OH)]$_2$(OTf)$_2$, with L-aromatic amino acid guests: selective hydrogen bonding to the μ-OH groups and the 1-methylcytosine ligands, 123
Signal molecules
Flavonoid derivatives as organometallic bioprobes, 101
Synthesis
Flavonoid derivatives as organometallic bioprobes, 101

Technetium(I)
First organometallic inhibitors for human thymidine kinase: synthesis and in vitro evaluation of rhenium(I)- and technetium(I)-tricarbonyl complexes of thymidine, 67
Thiophene
^{1}H-, ^{13}C-, and ^{15}N-NMR and ESI-TOF$^+$ MS studies of a supramolecular complex of silver(I) and a cholaphane, 43
Thymidine
$(\eta^5\text{-}C_5H_5)Fe(CO)_2$-complexes of uridine and thymidine, 91
Thymidine analogues
First organometallic inhibitors for human thymidine kinase: synthesis and in vitro evaluation of rhenium(I)- and technetium(I)-tricarbonyl complexes of thymidine, 67
Tricarbonyliron
Flavonoid derivatives as organometallic bioprobes, 101

Uridine
$(\eta^5\text{-}C_5H_5)Fe(CO)_2$-complexes of uridine and thymidine, 91

Viral thymidine kinase
First organometallic inhibitors for human thymidine kinase: synthesis and in vitro evaluation of rhenium(I)- and technetium(I)-tricarbonyl complexes of thymidine, 67

Water soluble
Synthesis, characterization and DNA binding affinities of water-soluble benzoheterocycle triosmium clusters, 51

X-ray
The synthesis and X-ray crystallographic structure determination of 3-isocyano-1,2-dicarba-*closo*-dodecaborane-Re(I) complexes, 25